

Pioneer Aerofab Company, Inc. Procurement Quality Requirements

This Quality Assurance Specification establishes the specific requirements that apply when one or more of the following Quality Requirements (QR's) are specified by code on PAC Purchase Orders. These requirements are in addition to those set forth in any other contractual document. The provisions indicated herein are an integral part of the Purchase Order.

Compliance with these requirements does not reduce Seller responsibility for furnishing materials and services, which fully comply with all applicable Drawing(s) and Specification(s), nor does it guarantee acceptance of materials or services by PAC. In the event that materials or services are found to be defective and cannot be demonstrated by the Seller to be in conformance with the Purchase Order, PAC has the right to reject them.

INDEX

GENERAL REQUIREMENTS

- GN1 Ethical Behavior
- GN2 Right of Entry
- GN3 Identification and Packaging

SPECIFIC REQUIREMENTS

- QR1 Inspection System Requirements
- QR2 Control of Changes
- QR3 Supplier Corrective Action
- QR4 Shelf Life and Temperature Sensitive Materials
- QR5 Material Safety Data Sheets
- QR6 Calibration System Requirements
- QR7 Certificate of Conformance
- QR8 Material Test Reports
- QR9 Approved Processor Requirements
- QR10 First Article Inspection
- QR11 Report of Discrepancy
- QR11.1 Notice of Escape
- QR12 Traceability and Lot Control
- QR13 Records Retention
- QR14 Counterfeit Parts Supplier Flow Down
- QR15 Acceptance Authority Media (AAM)
- QR16 Return/Destruction of Technical Data

GENERAL REQUIREMENTS

1. ETHICAL BEHAVIOR

It is our expectation that suppliers working with PAC understand and adhere to our core values. This includes ensuring that individuals are aware of their contribution to product and service conformity, their contribution to product safety and the importance of ethical behavior.

2. RIGHT OF ENTRY

PAC, our customers, US government and/or regulatory agencies reserve the right to supplier and supplier's sub-tier facilities involved in this purchase order. This includes the right to enter, observe, record, and/or report on any activities and all applicable quality records at the supplier and/or sub-tiers during the performance of this purchase order.

3. IDENTIFICATION AND PACKAGING

Unless otherwise specified by the purchase order, parts, assemblies and/or raw materials shall be identified per the engineering drawing or material specification. When identification is not specified on the engineering drawing or material specification, the product shall be identified with the part number or description specified on the purchase order. The supplier is responsible for packaging the product in a way that will ensure safe delivery without damage or deterioration. Product shall be efficiently and economical packaged for the method of transportation and type of handling involved.

SPECIFIC REQUIREMENTS

1. INSPECTION SYSTEM REQUIREMENTS:

The Seller shall provide and maintain an inspection system in conformance with:

- NADCAP
- ISO 9001, latest revision
- AS9100, latest revision
- AS9120
- or other Quality System approved by PAC

2. CONTROL OF CHANGES:

Seller agrees not to make any change in materials or design details or other product which would affect the part or any component part thereof without prior written Buyer approval. The Seller will identify, on the Certificate of Conformance and/or packing sheet, the as built revision level of the end item product being delivered.

3. SUPPLIER CORRECTIVE ACTION:

Seller shall, on request, on forms designated by Buyer, provide statements of corrective action on failures of seller's product(s) or quality system. Corrective action statements, at Buyer's option may require approval signature by Buyer and Government Quality representative. All rejected articles resubmitted by seller to Buyer shall bear adequate identification including reference to Buyer's rejection document.

4. SHELF LIFE AND TEMPERATURE SENSITIVE MATERIALS: The Seller shall identify all materials and articles which have definite characteristics of quality degradation with age or environment. The Seller shall affix this information directly on the material container or article. This identification shall indicate the date useful life was initiated and the date or cycle at which the useful life will be expended. When environment is a factor in determining useful life, the identification shall include the storage condition (i.e., temperature, humidity, etc.) required to achieve the stated life. A minimum of 75% of the applicable material/article shelf life shall remain upon receipt of the material by Buyer or the material is subject to rejection and returned to the seller.

5. SAFETY DATA SHEETS:

When applicable, materials(s) noted on this purchase order must be supplied in accordance with OSHA's hazard communication standard 29CFR1910-1200, OSHA instruction CPL2-2.38 dated May 10, 1998 and Washington State codes 296-62-05413. All first time orders MUST be supplied with "Safety Data Sheets". Materials not received in compliance with aforementioned OSHA requirements and Washington State codes will be subject to immediate rejection and return at supplier's expense.

In addition, if Seller is aware of any additional precautions and/or handling techniques instituted with regard to other customers, seller is required to submit those safeguards with SDS.

Seller is required to forward a Toxic Substances Control Act (TSCA) certification letter to the Buyer for the product(s) purchased on this purchase order with the statement that every chemical component of the product(s) is listed by the Toxic Substances Control Act Inventory (P.L. 94-94-969).

6. CALIBRATION SYSTEM REQUIREMENTS:

Seller shall have a calibration system that assures compliance with NIST / ANSI / NCSL Z540-1-1994 "American National Standard for calibration". Any deviation or waiver to this requirement must be approved by buyer's Material and Quality Assurance Representatives.

7. CERTIFICATE OF CONFORMANCE:

When applicable, shipments will be accompanied by a legible and reproducible copy of a Certificate of Conformance with the signature of responsible representative stating material, process, or article being shipped meets requirements of applicable drawings or specification cited in Purchase Order. Supplier will include date of manufacture on Certificate of Conformance when applicable. If an Outsource Procurement Specification is called out on the Purchase Order, include the revision level.

8. MATERIAL TEST REPORTS:

When applicable, a legible and reproducible copy of material test reports will accompany each shipment. Test reports will be identified with specification number and heat and/or cure lot number. Chemical and physical test reports will include actual numerical values for each property tested in accordance with the applicable specification. When more than one specimen is required, test results of each is required on the report. Specification and revision will be shown on each test report furnished.

9. APPROVED PROCESS REQUIREMENTS:

A legible and reproducible copy of special process requiring certification (i.e. testing, heat treat, nondestructive testing, etc.) will accompany each shipment of material, parts, or assemblies. Special processes will be performed by accredited process facilities and, if required by contract, customer (process specification owner) approved sources.

10. FIRST ARTICLE INSPECTION:

A legible and reproducible copy of the Seller's First Article Inspection (FAI) performed on the initial part or lot (as applicable) at the detail, subassembly and/or assembly level will accompany applicable shipments. The results of the FAI shall indicate 100% conformance to engineering drawing characteristics, special processes, functional test and laboratory requirements. Subsequent (Delta) FAI's shall be performed and sent with applicable orders if tooling rework or modification and/or change(s) in supplier's manufacturing method occur. Engineering drawing revisions will require a new FAI incorporating the differences and/or tool proofing inspection.

The First Article Inspection will include a complete, independent, and documented physical and functional inspection process to verify that prescribed production methods have produced an acceptance item as specified by engineering drawings, planning, purchase order, engineering specifications, and/or other applicable design documents

11. REPORT OF DISCREPANCY:

Any departure from drawing specifications or other purchase order requirements must be documented by the Seller and submitted to the Buyer for consideration and disposition. A copy of this disposition document must accompany each affected shipment.

11.1 NOTICE OF ESCAPE

The Seller upon discovery of a shipment/delivery of nonconforming product must provide notice of disclosure to the buyer within 48 hours.

12. TRACEABILITY/LOST AND BATCH CONTROL:

Seller must maintain lot and batch control of raw materials to purchased items. Seller must provide positive traceability of manufactured parts and assemblies to raw materials through the use of lot/batch, serial numbers or date of manufacture, as applicable, for all items in the shipment.

13. RECORDS RETENTION:

The Seller shall maintain records of product delivered to buyer for a period of ten (10) years.

14. SUPPLIER FLOW DOWN TO SUB-SUPPLIER

The Seller shall control counterfeit parts or suspect counterfeit parts to prevent reentry into the supply chain (Ref. definition of *Counterfeit part* in AS9100D.)

15. ACCEPTANCE AUTHORITY MEDIA:

Supplier's quality system shall include adequate controls of Acceptance Authority Media (AAM). This shall include but not be limited to:

- Application Errors (i.e. Omission, Typos, Legibility, etc.)
- Untimely Use (i.e. Documentation is not completed as planned, "Stamp/Sign as you go", etc.)
- Misrepresentation (i.e. uncertified personnel, Falsification of documentation, Work not performed as planned, etc.)
- Training Deficiencies (i.e. Ethics, Culture awareness, Proper use of authority media, etc.)

16. RETURN/DESTRUCTION OF TECHNICAL DATA

Drawings, specifications and/or any technical data issued to suppliers are either returned or destroyed.